

TOWN OF SOUTHERN SHORES

5375 N Virginia Dare Trl, Southern Shores, NC 27949 (252) 261-2394 tel (252) 255-0876 fax www.southernshores-nc.gov

Application for Historic Landmark Certificate of Appropriateness

I (we) the undersigned do hereby respectfully request a minor Certificate of Appropriateness for the following plans and proposals:

removing plante and proposate.
Property Location (Street Address): 116 Ocean Blvd
Property Owner: Clayton Small
Applicant (if different from owner):
Address: 248 Griggs Acres Dr., Point Harbor, NC 27964
Telephone (home/business): (cell): 252-201-5051
Current Use of Property: Family Vacation
Describe in detail the work to be undertaken, attach photos, drawings, plans, renderings, materials, etc. to give as much information as possible on the requested project: Replace three exterior windows on Garage structure, Professed replacement windows to be best commercially available windows to match the original windows. Remove and replace siding shingles as required. Replacement shingles to match original (damaged) shingles. The garage will then be painted to match the main cottage which was painted in 2023. Photographs of newly painted Cottage are provided for reference and comparison to photographs in the original Historic Landwark Application (4/23/18). Certificates of Appropriateness are used for only the work described on the Application. Designated 8/7/18. Any application submitted by someone other than the property owner must be accompanied by a notarized statement indicating that the property owner is aware of the proposed work.
Signature of Applicant: Date: 3/7/24
Repair decayed wood around windows of doors. Replace garage doors (overhead design) with new commercially available doors that match original doors.

Line#	Description	Unit Price Qty Ext. Price		
300-1	100 Single-Hung, Equal Sash, 25 1/2 x 35 1/2, Enhanced Performance-Yes - PG50, 1 3/8" Setback, Fixed/Active, White Exterior Frame, White Exterior Sash/Panel, White Interior Frame, wWhite Interior Sash/Panel, Low-E SmartSun, Tempered, Argon Filled, Glass / Grille Spacer Color = Stainless, Grilles: Unit 1 Lower: None Unit 1 Upper: Finelight, Specified Equal Light, 3/4", White, White, 3W1H, Hardware: Auto Lock, Lock:Slim Line, 1 Sash Locks, White Lock, Window Opening Control Device-No, Half Screen, Fiberglass, White, Insect Screen Applied = Yes, Unit CPD Number = AND-N-80-02098-00001, -US Energy Star-, Version:10/18/2022	\$452.67 2 \$905.34		
Comments:		Room:BATHROOMS		
Line #	Description	Unit Price Qty Ext. Price		
400-1	100 Single-Hung, Equal Sash, 25 1/2 x 35 1/2, Enhanced Performance-Yes - PG50, 1 3/8" Setback, Fixed/Active, White Exterior Frame, White Exterior Sash/Panel, Mhite Interior Frame, w/White Interior Sash/Panel, Low-E SmartSun, Argon Filled, Glass / Grille Spacer Color = Stainless, Grilles: Unit 1 Lower: None Unit 1 Upper: Finelight, Specified Equal Light, 3/4", White, White, 3W1H, Hardware: Auto Lock, Lock:Slim Line, 1 Sash Locks,	\$384.70 3 \$1,154.10		

Comments: Garage @ 116 Ocean Room: KITCHEN

White Lock, Window Opening Control Device-No, Half Screen, Fiberglass, White, Insect Screen Applied = Yes, Unit CPD Number = AND-N-80-02066-00001, -US Energy

Star-, Version:10/18/2022

window as Cottage

25.5

SUB-TOTAL:	\$5,549.46 \$0.00	
FREIGHT:		
LABOR:	\$0.00	
TAX:	\$374.59	
TOTAL:	\$5,924.05	

CUSTOMER SIGNATURE		DA1	E
			

Thank you for choosing Andersen Windows & Doors

Quote #: 3337853 Print Date: 12/12/2022 2:01:53 PM UTC All Images Viewed from Exterior Page 2 of 2


^{*} All graphics as viewed from the exterior. ** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.



Clopaydoor.com

Your Completed Doors

(1) Garage Door



Bridgeport™ Steel

Size:

Top Section:

8'0" X 7'0"

Extended Solid

Style:

Handle:

Extended Panel

Standard Handles Included x 1

Construction:

StepPlate:

3-layer 2" Intellicore® Insul. R-Value Standard Step Plate Included x 1

18.4

Hinges:


Base Color:

No Hinge

Standard White

Garage Door for 116 Ocean Rlvd.

(2) Garage Door



Bridgeport™ Steel

Size:

Top Section:

8'0" X 7'0"

Extended Solid

Style:

Handle:

Extended Panel

Standard Handles Included x 1

Construction:

StepPlate:

3-layer 2" Intellicore® Insul. R-Value Standard Step Plate Included x 1

18.4

Hinges:

Base Color:

No Hinge

Standard White




Clopaydoor.com

Your Clopay Door Imagination System™ Summary

After Image



Before Image



The options included in this application when you select a stock image represent the most common size doors. If you do not see the specific size or design you need, please consult your local dealer or retailer for more information. Size, actual door, and certain designs may vary from screen presentation.



